
REDUCING NATURAL AND INDUCED BIOLOGICAL RISKS

JONES W. BRYAN, D.V.M.









Horses, though not susceptible to FMD, are capable of carrying the virus in dirt, debris, on their coats, tack, or trailer equipment. Restricted in movement for several months, by June they are allowed out on public roads in most areas, with appropriate biosecurity measures.



MAJOR REGULATORY AND POLICY NEEDS

DEFINITION OF STATE AND FEDERAL REGULATORY AUTHORITY

- > MOVEMENT OF EXPOSED POSITIVES
- > ACCESS TO FARM SURVEILLANCE AND DIAGNOSIS
- > QUARANTINE
- ➤ DISPOSAL AGENCIES INVOLVED, AVAILABLE METHODS
- > REIMBURSEMENT
- > ANIMAL AND PREMISE IDENTIFICATION

EDUCATION

- ➤ BIOSECURITY A PRACTICAL TOOL FOR DISEASE PREVENTION AND CONTROL
 - > POTENTIAL INTRODUCTION
 - > ANIMALS
 - > VECTORS HUMAN AND OTHERWISE

INFRASTRUCTURE

> INDIVIDUAL ANIMAL AND PREMISE IDENTIFICATION

> GIS LOCATION AND MAPS

COOPERATING AGENCIES

> USDA

> DEPARTMENT OF HEALTH

> EXTENSION

> LAW ENFORCEMENT

> STATE EMERGENCY PREPAREDNESS

> LIVESTOCK PRODUCERS

> PROCESSING, SERVICE PEOPLE, SUPPLIERS

> OTHERS